


PageSpeed Insights

Mobile



35 / 100 Speed

Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://nanoeducation.co.in/wp-content/plugins/contact-form-7/images/ajax-loader.gif> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/templates/default/img/quotes.png> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/Finest-IIT-Coaching-In-Hyderabad-PRAJWAL.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/bitsat.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/disha.jpg> (expiration not specified)

Mobile

- <http://nanoeducation.co.in/wp-content/uploads/2017/03/early-advantage.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/gurukul.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-iit-jee-academy.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner-41.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner1.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/student-info-zone.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/website-banner-2.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2018/07/IIT-Coaching-in-Hyderabad-Nano-IIT-Academy.png> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-9843740-24> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Reduce server response time

In our test, your server responded in 1 second.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Mobile

Your page has 23 blocking script resources and 29 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://nanoeducation.co.in/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://nanoeducation.co.in/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/lib/ajax-login-script.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/responsive-lightbox/assets/prettyphoto/js/jquery.prettyPhoto.min.js?ver=2.0.5>
- <http://nanoeducation.co.in/wp-content/plugins/responsive-lightbox/assets/infinitemscroll/infinite-scroll.pkgd.min.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/responsive-lightbox/js/front.js?ver=2.0.5>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery-ui.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/core.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/widget.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/mouse.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/slider.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/wow.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/customizer/assets/select2/js/select2.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/datepicker.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery-ui-timepicker-addon.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/main.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/owl-carousel.min.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery.magnific-popup.min.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum->

Mobile

core/assets/js/jquery.countdown.min.js?ver=4.8.8

- <http://nanoeducation.co.in/wp-includes/js/utils.min.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/plupload/plupload.full.min.js?ver=2.1.8>
- <http://nanoeducation.co.in/wp-content/plugins/sticky-popup/js/modernizr.custom.js?ver=1.2>
- <http://nanoeducation.co.in/wp-content/uploads/custom-css-js/4852.js?v=1274>

[Optimize CSS Delivery](#) of the following:

- <http://nanoeducation.co.in/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0.4>
- <http://nanoeducation.co.in/wp-content/plugins/responsive-lightbox/assets/prettyphoto/css/prettyPhoto.min.css?ver=2.0.5>
- <http://fonts.googleapis.com/css?family=Open+Sans%3A400%2C700%2C700%2C700%2C700%7CRoboto%3A400&ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/animate.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/customizer/assets/select2/css/select2.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/magnific-popup.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/owl-carousel.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/themeum-core.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-tweet/assets/css/themeum-tweet.css?ver=4.8.8>
- <https://fonts.googleapis.com/css?family=Open+Sans%3A300%2C400%2C600%2C700%2C800&subset=latin>
- <http://nanoeducation.co.in/wp-includes/css/buttons.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/css/dashicons.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/mediaelement/mediaelementplayer.min.css?ver=2.22.0>
- <http://nanoeducation.co.in/wp-includes/js/mediaelement/wp-mediaelement.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/css/media-views.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/imgareaselect/imgareaselect.css?ver=0.9.8>

Mobile

- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/bootstrap.min.css?ver=all>
- http://nanoeducation.co.in/wp-content/plugins/js_composer/assets/lib/bower/font-awesome/css/font-awesome.min.css?ver=5.2
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/main.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/blog-details.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/custom-css.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/responsive.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/woocommerce.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/style.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/templates/default/content.css?ver=2.32.3>
- <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/public/fonts/font-awesome-4.6.3/css/font-awesome.min.css?ver=4.6.3>
- <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/public/css/slider-controls-sides-buttons.css?ver=2.32.3>
- <http://nanoeducation.co.in/wp-content/plugins/sticky-popup/css/sticky-popup.css?ver=1.2>
- http://nanoeducation.co.in/wp-content/plugins/js_composer/assets/css/js_composer.min.css?ver=5.2

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1.4MiB (67% reduction).

- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner-41.jpg> could save 459.8KiB (71% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner1.jpg> could save 408.6KiB (70% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner.jpg> could save 306.1KiB (71% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/early-advantage.jpg>

Mobile

could save 58.9KiB (82% reduction).

- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/Finest-IIT-Coaching-In-Hyderabad-PRAJWAL.jpg> could save 43.3KiB (81% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/gurukul.jpg> could save 40.5KiB (81% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/bitsat.jpg> could save 27.3KiB (81% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/disha.jpg> could save 27.2KiB (82% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/website-banner-2.jpg> could save 9.3KiB (12% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/student-info-zone.jpg> could save 5.7KiB (21% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-iit-jee-academy.jpg> could save 4.2KiB (17% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/call-to-action-bg-red.jpg?id=4312> could save 3.2KiB (14% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2018/07/IIT-Coaching-in-Hyderabad-Nano-IIT-Academy.png> could save 2.4KiB (19% reduction).



Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 5.8KiB (17% reduction).

- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/main.css?ver=all> could save 1.8KiB (15% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/style.css?ver=4.8.8> could save 752B (29% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/custom-css.css?ver=all> could save 750B (15% reduction) after compression.

Mobile

- Minifying <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/templates/default/content.css?ver=2.32.3> could save 545B (31% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/animate.css?ver=4.8.8> could save 540B (12% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/themeum-core.css?ver=4.8.8> could save 260B (18% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/sticky-popup/css/sticky-popup.css?ver=1.2> could save 254B (17% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/responsive.css?ver=all> could save 235B (11% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/magnific-popup.css?ver=4.8.8> could save 233B (13% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/owl-carousel.css?ver=4.8.8> could save 193B (18% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-tweet/assets/css/themeum-tweet.css?ver=4.8.8> could save 171B (89% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/public/css/slider-controls-sides-buttons.css?ver=2.32.3> could save 126B (15% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 27.8KiB (32% reduction).

- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/customizer/assets/select2/js/select2.js?ver=4.8.8> could save 9KiB (30% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery-ui.js?ver=4.8.8> could save 7.9KiB (40% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery-ui-timepicker-addon.js?ver=4.8.8> could save 6.7KiB (37% reduction) after compression.
- Minifying

Mobile

lightbox/js/front.js?ver=2.0.5 could save 1.2KiB (23% reduction) after compression.

- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery.countdown.min.js?ver=4.8.8> could save 709B (34% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.4> could save 659B (17% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/js/main.js?ver=4.8.8> could save 547B (29% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/main.js?ver=4.8.8> could save 325B (27% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/wow.js?ver=4.8.8> could save 199B (13% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/public/js/lib/actual/jquery.actual.min.js?ver=1.0.16> could save 130B (19% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/uploads/custom-css-js/4852.js?v=1274> could save 128B (19% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/lib/ajax-login-script.js?ver=4.8.8> could save 116B (26% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/js/ajax-booking-btn.js?ver=4.8.8> could save 116B (23% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-includes/js/jquery/ui/mouse.min.js?ver=1.11.4> could save 115B (12% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Mobile

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

95 / 100 User Experience

Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 512 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `<div class="col-sm-5"></div>` falls outside the viewport.
- The element `<div class="col-sm-7 text-right">Notice Board E...Downloads Blog</div>` falls outside the viewport.
- The element `<i class="fa fa-angle-right">` falls outside the viewport.
- The element `<div class="themeum-latest-notice-list">December 22, 2...24th December</div>` falls outside the viewport.
- The element `<div class="themeum-latest-notice-list">November 23, 2...Mahavidyalaya</div>` falls outside the viewport.
- The element `<div class="themeum-latest-notice-list">November 18, 2...e Twin Cities.</div>` falls outside the viewport.
- The element `<div class="themeum-latest-notice-list">November 4, 20...Ashwartha Rao</div>` falls outside the viewport.
- The element `<div class="col-sm-12">© Copyright Na...Digital Eyecon</div>` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `` and 3 others are close to other tap targets final.
- The tap target `Blog` is close to 1 other tap targets final.
- The tap target `READ MORE` is close to 2 other tap targets.
- The tap target `Why Nano?` and 2 others are close to other tap targets.
- The tap target `FAQs` is close to 1 other tap targets.



3 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Mobile

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



39 / 100 Speed

! Should Fix:

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1.4MiB (67% reduction).

- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner-41.jpg> could save 459.8KiB (71% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner1.jpg> could save 408.6KiB (70% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner.jpg> could save 306.1KiB (71% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/early-advantage.jpg> could save 58.9KiB (82% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/Finest-IIT-Coaching-In-Hyderabad-PRAJWAL.jpg> could save 43.3KiB (81% reduction).

Desktop

- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/gurukul.jpg> could save 40.5KiB (81% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/bitsat.jpg> could save 27.3KiB (81% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/disha.jpg> could save 27.2KiB (82% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/website-banner-2.jpg> could save 9.3KiB (12% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/student-info-zone.jpg> could save 5.7KiB (21% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-iit-jee-academy.jpg> could save 4.2KiB (17% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2017/03/call-to-action-bg-red.jpg?id=4312> could save 3.2KiB (14% reduction).
- Compressing <http://nanoeducation.co.in/wp-content/uploads/2018/07/IIT-Coaching-in-Hyderabad-Nano-IIT-Academy.png> could save 2.4KiB (19% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://nanoeducation.co.in/wp-content/plugins/contact-form-7/images/ajax-loader.gif> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/templates/default/img/quotes.png> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/Finest-IIT-Coaching-In-Hyderabad-PRAJWAL.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/bitsat.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/disha.jpg> (expiration not specified)

Desktop

- <http://nanoeducation.co.in/wp-content/uploads/2017/03/early-advantage.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/gurukul.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-iit-jee-academy.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner-41.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/nano-website-banner1.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/student-info-zone.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2017/03/website-banner-2.jpg> (expiration not specified)
- <http://nanoeducation.co.in/wp-content/uploads/2018/07/IIT-Coaching-in-Hyderabad-Nano-IIT-Academy.png> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-9843740-24> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Reduce server response time

In our test, your server responded in 1.00 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Desktop

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 5.8KiB (17% reduction).

- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/main.css?ver=all> could save 1.8KiB (15% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/style.css?ver=4.8.8> could save 752B (29% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/custom-css.css?ver=all> could save 750B (15% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/templates/default/content.css?ver=2.32.3> could save 545B (31% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/animate.css?ver=4.8.8> could save 540B (12% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/themeum-core.css?ver=4.8.8> could save 260B (18% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/sticky-popup/css/sticky-popup.css?ver=1.2> could save 254B (17% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/responsive.css?ver=all> could save 235B (11% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/magnific-popup.css?ver=4.8.8> could save 233B (13% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/owl-carousel.css?ver=4.8.8> could save 193B (18% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-tweet/assets/css/themeum-tweet.css?ver=4.8.8> could save 171B (89% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/public/css/slider-controls-sides-buttons.css?ver=2.32.3> could save 126B (15% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 27.8KiB (32% reduction).

- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/customizer/assets/select2/js/select2.js?ver=4.8.8> could save 9KiB (30% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery-ui.js?ver=4.8.8> could save 7.9KiB (40% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery-ui-timepicker-addon.js?ver=4.8.8> could save 6.7KiB (37% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/responsive-lightbox/js/front.js?ver=2.0.5> could save 1.2KiB (23% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery.countdown.min.js?ver=4.8.8> could save 709B (34% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.4> could save 659B (17% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/js/main.js?ver=4.8.8> could save 547B (29% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/main.js?ver=4.8.8> could save 325B (27% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/wow.js?ver=4.8.8> could save 199B (13% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/public/js/lib/actual/jquery.actual.min.js?ver=1.0.16> could save 130B (19% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/uploads/custom-css-js/4852.js?v=1274> could save 128B (19% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/plugins/themeum-core/lib/ajax-login-script.js?ver=4.8.8> could save 116B (26% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-content/themes/wpeducon/js/ajax-booking-btn.js?ver=4.8.8> could save 116B (23% reduction) after compression.
- Minifying <http://nanoeducation.co.in/wp-includes/js/jquery/ui/mouse.min.js?ver=1.11.4> could save 115B (12% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Desktop

Your page has 23 blocking script resources and 29 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://nanoeducation.co.in/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://nanoeducation.co.in/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/lib/ajax-login-script.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/responsive-lightbox/assets/prettyphoto/js/jquery.prettyPhoto.min.js?ver=2.0.5>
- <http://nanoeducation.co.in/wp-content/plugins/responsive-lightbox/assets/infinitemscroll/infinite-scroll.pkgd.min.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/responsive-lightbox/js/front.js?ver=2.0.5>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery-ui.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/core.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/widget.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/mouse.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/slider.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/wow.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/customizer/assets/select2/js/select2.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/jquery/ui/datepicker.min.js?ver=1.11.4>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery-ui-timepicker-addon.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/main.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/owl-carousel.min.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/js/jquery.magnific-popup.min.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum->

Desktop

core/assets/js/jquery.countdown.min.js?ver=4.8.8

- <http://nanoeducation.co.in/wp-includes/js/utils.min.js?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/plupload/plupload.full.min.js?ver=2.1.8>
- <http://nanoeducation.co.in/wp-content/plugins/sticky-popup/js/modernizr.custom.js?ver=1.2>
- <http://nanoeducation.co.in/wp-content/uploads/custom-css-js/4852.js?v=1274>

[Optimize CSS Delivery](#) of the following:

- <http://nanoeducation.co.in/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0.4>
- <http://nanoeducation.co.in/wp-content/plugins/responsive-lightbox/assets/prettyphoto/css/prettyPhoto.min.css?ver=2.0.5>
- <http://fonts.googleapis.com/css?family=Open+Sans%3A400%2C700%2C700%2C700%2C700%7CRoboto%3A400&ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/animate.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/customizer/assets/select2/css/select2.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/magnific-popup.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/owl-carousel.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-core/assets/css/themeum-core.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/themeum-tweet/assets/css/themeum-tweet.css?ver=4.8.8>
- <https://fonts.googleapis.com/css?family=Open+Sans%3A300%2C400%2C600%2C700%2C800&subset=latin>
- <http://nanoeducation.co.in/wp-includes/css/buttons.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/css/dashicons.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/mediaelement/mediaelementplayer.min.css?ver=2.22.0>
- <http://nanoeducation.co.in/wp-includes/js/mediaelement/wp-mediaelement.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/css/media-views.min.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-includes/js/imgareaselect/imgareaselect.css?ver=0.9.8>

Desktop

- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/bootstrap.min.css?ver=all>
- http://nanoeducation.co.in/wp-content/plugins/js_composer/assets/lib/bower/font-awesome/css/font-awesome.min.css?ver=5.2
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/main.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/blog-details.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/custom-css.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/responsive.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/css/woocommerce.css?ver=all>
- <http://nanoeducation.co.in/wp-content/themes/wpeducon/style.css?ver=4.8.8>
- <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/templates/default/content.css?ver=2.32.3>
- <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/public/fonts/font-awesome-4.6.3/css/font-awesome.min.css?ver=4.6.3>
- <http://nanoeducation.co.in/wp-content/plugins/strong-testimonials/public/css/slider-controls-sides-buttons.css?ver=2.32.3>
- <http://nanoeducation.co.in/wp-content/plugins/sticky-popup/css/sticky-popup.css?ver=1.2>
- http://nanoeducation.co.in/wp-content/plugins/js_composer/assets/css/js_composer.min.css?ver=5.2



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Desktop

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).